



EDGE 1.9mm (Indoor) LED Display



EDGE1.9mm LED tile is a high resolution, light weight tile with a strong aluminum alloy structure. The tile incorporates LEDs which deliver a high contrast ratio.

The EDGE 1.9mm includes innovative rental mechanics to provide a seamless quality image without a lot of time consuming adjustments. Its slim design, rear service, wireless connection, high contrast and brightness ensure a stunning image under even high ambient light conditions. The high refresh and color processing provide a flicker-free performance on any application.

Our EDGE1.9mm has been customized to run on our renowned processor like many of our other LED products. It offers ease of setup, virtually unlimited mapping capabilities and leading video processing performance.

The innovative design supports easy installation for both hanging and stacking. EDGE 1.9mm is the perfect LED solution for your next event or production.

Call your Coleder Representative for more information

Shenzhen Office: Suite 701-706,



SuoJia Science Park, Bao'an District,

ShenZhen, GuangDong, China


Tel: +86 755-29774855

Website: www.coleder.com

Email: sales@coleder.com



EDGE 1.9mm (Indoor) LED Display



Specifications

EDGE 1.9 (Indoor) LED Display	
Pitch (mm)	1.96
LED Type	3 in 1 SMD
Number of Pixels	240 x270 (64800) / Tile
Pixel Density (Pixel/m²)	259529dot/m ²
Module Dimensions (LxH)	250mm x 250mm (9.269" x 10.43")
Tile Dimensions (LxHxD)	471.1mm x 530mm x 80mm (18.547" x 20.867"x3.149)
Aspect ratio	8:9
Brightness	700nits
AC Power In	100-240V
Power Consumption (w/tile)	Input:100-240,50/60HZ,19Amax. Output:100-240V,50/60HZ,16A Max
Weight/Tile	8.5Kg
Colors	281 Trillion
Refresh Rate	1920-3,840Hz
Viewing Angle Horizontal /Vertical	160° /140°

Grey level (Bit)	14-16 bit
Life Time (Hr)	100,000

Specifications subject to change without notice.

For your next production or event please contact your *Coleder* representative

*Shenzhen Office: Suite 701-706,
SuoJia Science Park, Bao'an District,
ShenZhen, GuangDong, China*

Tel: +86 755-29774855

Website: www.coleder.com

Email: sales@coleder.com

